



KOŁA ZĘBATE O PODZIAŁCE CALOWEJ


ISO 5294



1F



2



2F

MXL 025


podziałka: **0,80" (2,032 mm)**

koła dla pasa o szerokości: **1/4" (6,35 mm)**


kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
M0001	16 MXL 025	1F	Al	16	10,35	9,84	15	15	8,50	16	-	101	0,01
M0002	18 MXL 025	1F	Al	18	11,64	11,13	16	16	8,50	16	-	102	0,01
M0003	20 MXL 025	1F	Al	20	12,94	12,43	16	16	8,50	16	-	102	0,01
M0004	22 MXL 025	2F	Al	22	14,23	13,72	18	10	11,00	16	3	104	0,01
M0005	24 MXL 025	2F	Al	24	15,52	15,02	18	10	11,00	16	3	104	0,01
M0006	28 MXL 025	2F	Al	28	18,11	17,60	23	11	11,00	16	3	107	0,01
M0007	30 MXL 025	2F	Al	30	19,40	18,90	23	12	11,00	16	4	107	0,02
M0008	32 MXL 025	2F	Al	32	20,70	20,19	25	14	11,00	16	4	108	0,02
M0009	36 MXL 025	2F	Al	36	23,29	22,78	28	16	11,00	16	4	109	0,02
M0010	40 MXL 025	2F	Al	40	25,87	25,36	32	18	11,00	16	4	110	0,03
M0011	42 MXL 025	2F	Al	42	27,17	26,66	32	18	11,00	16	5	110	0,03
M0012	44 MXL 025	2F	Al	44	28,46	27,95	36	18	11,00	16	5	111	0,03
M0013	48 MXL 025	2	Al	48	31,05	30,54	-	20	11,00	16	5	-	0,03
M0014	60 MXL 025	2	Al	60	38,81	38,30	-	24	11,00	16	5	-	0,04
M0015	72 MXL 025	2	Al	72	46,57	46,06	-	25	11,00	16	6	-	0,05

KOŁA ZĘBATE O PODZIAŁCE CALOWEJ

ISO 5294



2



2F

XL 037


podziałka: 1/5" (5,08 mm)

koła dla pasa o szerokości: 3/8" (9,52 mm)


kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
M0016	10 XL 037	2F	Al	10	16,17	15,66	23	10	14,30	20	-	201	0,01
M0017	11 XL 037	2F	Al	11	17,79	17,28	23	10	14,30	20	-	201	0,01
M0018	12 XL 037	2F	Al	12	19,40	18,90	25	10	14,30	20	-	203	0,01
M0019	13 XL 037	2F	Al	13	21,02	20,51	25	10	14,30	20	-	203	0,01
M0020	14 XL 037	2F	Al	14	22,64	23,13	28	16	14,30	20	-	204	0,02
M0021	15 XL 037	2F	Al	15	24,25	23,75	28	16	14,30	20	-	204	0,02
M0022	16 XL 037	2F	Al	16	25,87	25,36	32	16	14,30	20	-	205	0,03
M0023	17 XL 037	2F	Al	17	27,49	26,98	32	20	14,30	20	-	205	0,03
M0024	18 XL 037	2F	Al	18	29,11	28,60	36	20	14,30	20	-	206	0,04
M0025	19 XL 037	2F	Al	19	30,72	30,21	36	20	14,30	22	-	206	0,04
M0026	20 XL 037	2F	Al	20	32,34	31,83	38	25	14,30	22	-	207	0,05
M0027	21 XL 037	2F	Al	21	33,96	33,45	38	25	14,30	22	-	207	0,05
M0028	22 XL 037	2F	Al	22	35,57	35,07	42	25	14,30	22	-	208	0,06
M0029	24 XL 037	2F	Al	24	38,81	38,30	44	30	14,30	22	-	209	0,06
M0030	26 XL 037	2F	Al	26	42,04	41,53	48	30	14,30	22	8	210	0,09
M0031	27 XL 037	2F	Al	27	43,66	43,15	48	34	14,30	22	8	210	0,09
M0032	28 XL 037	2F	Al	28	45,28	44,77	51	34	14,30	22	8	211	0,10
M0033	30 XL 037	2F	Al	30	48,51	48,00	54	38	14,30	22	8	212	0,12
M0034	32 XL 037	2F	Al	32	51,74	51,24	57	38	14,30	25	8	213	0,12
M0035	34 XL 037	2F	Al	34	54,98	54,47	60	38	14,30	25	8	214	0,13
M0036	35 XL 037	2F	Al	35	56,60	56,09	63	38	14,30	25	8	215	0,14
M0037	36 XL 037	2	Al	36	58,21	57,70	-	45	14,30	25	8	-	0,14
M0038	38 XL 037	2	Al	38	61,45	60,94	-	45	14,30	25	8	-	0,15
M0039	40 XL 037	2	Al	40	64,68	64,17	-	45	14,30	25	8	-	0,16
M0040	42 XL 037	2	Al	42	67,91	67,41	-	45	14,30	25	8	-	0,18
M0041	44 XL 037	2	Al	44	71,15	70,64	-	45	14,30	25	8	-	0,19
M0042	48 XL 037	2	Al	48	77,62	77,11	-	45	14,30	25	10	-	0,19
M0043	52 XL 037	2	Al	52	84,08	83,57	-	45	14,30	25	10	-	0,19
M0044	60 XL 037	2	Al	60	97,02	96,51	-	45	14,30	25	10	-	0,22
M0045	72 XL 037	2	Al	72	116,42	115,92	-	45	14,30	25	10	-	0,44

KOŁA ZĘBATE O PODZIAŁCE CALOWEJ

ISO 5294



2F



4

L 050



podziałka: 3/8" (9,525 mm)

koła dla pasa o szerokości: 1/2" (12,7 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
M0046	10 L 050	2F	St	10	30,32	29,56	36	20	19,00	28	8	300	0,11
M0047	11 L 050	2F	St	11	33,35	32,59	38	24	19,00	30	8	301	0,14
M0048	12 L 050	2F	St	12	36,38	35,62	42	24	19,00	30	8	302	0,17
M0049	13 L 050	2F	St	13	39,41	38,65	44	28	19,00	30	8	303	0,21
M0050	14 L 050	2F	St	14	42,44	41,68	48	28	19,00	30	8	304	0,24
M0051	15 L 050	2F	St	15	45,48	44,72	51	34	19,00	30	8	305	0,29
M0052	16 L 050	2F	St	16	48,51	47,75	54	36	19,00	32	8	306	0,33
M0053	17 L 050	2F	St	17	51,54	50,78	57	36	19,00	32	10	307	0,38
M0054	18 L 050	2F	St	18	54,57	53,81	60	40	19,00	32	10	308	0,44
M0055	19 L 050	2F	St	19	57,61	56,84	63	40	19,00	32	10	309	0,47
M0056	20 L 050	2F	St	20	60,64	59,88	66	40	19,00	32	10	310	0,51
M0057	21 L 050	2F	St	21	63,67	62,91	71	45	19,00	32	10	311	0,60
M0058	22 L 050	2F	St	22	66,70	65,94	75	45	19,00	32	10	312	0,64
M0059	23 L 050	2F	St	23	69,73	68,97	79	55	19,00	32	10	313	0,78
M0060	24 L 050	2F	St	24	72,77	72,00	79	55	19,00	32	10	313	0,81
M0061	25 L 050	2F	St	25	75,80	75,04	83	58	19,00	32	10	314	0,89
M0062	26 L 050	2F	St	26	78,83	78,07	87	58	19,00	32	12	315	0,94
M0063	27 L 050	2F	St	27	81,86	81,10	87	58	19,00	32	12	315	0,99
M0064	28 L 050	2F	St	28	84,89	84,13	91	58	19,00	32	12	316	1,04
M0065	30 L 050	2F	St	30	90,96	90,20	97	70	19,00	32	12	318	1,17
M0066	32 L 050	2F	St	32	97,03	96,26	103	70	19,00	32	12	320	1,41
M0067	33 L 050	2F	St	33	100,05	99,29	106	70	19,00	32	12	321	1,49
M0068	34 L 050	2F	St	34	103,08	102,32	111	70	19,00	32	12	322	1,57
M0069	35 L 050	2F	St	35	106,12	105,35	111	70	19,00	32	12	322	1,62
M0070	36 L 050	2F	St	36	109,15	108,39	115	70	19,00	32	12	323	1,70
M0071	40 L 050	2F	St	40	121,29	120,51	127	70	19,00	32	12	327	2,03
M0072	42 L 050	2F	St	42	127,34	126,58	135	70	19,00	32	12	328	2,21
M0073	44 L 050	2F	St	44	133,40	132,64	140	70	19,00	32	12	330	2,38
M0074	45 L 050	2F	St	45	136,44	135,67	143	70	19,00	32	12	331	2,48
M0075	48 L 050	2F	St	48	145,53	144,77	152	70	19,00	32	12	334	2,78
M0076	50 L 050	4	GG	50	151,60	150,83	-	70	19,00	32	14	-	1,74
M0077	52 L 050	4	GG	52	157,66	156,90	-	70	19,00	32	14	-	1,80
M0078	56 L 050	4	GG	56	169,79	169,02	-	70	19,00	32	14	-	1,87
M0079	57 L 050	4	GG	57	172,82	172,06	-	70	19,00	32	14	-	1,88
M0080	60 L 050	4	GG	60	181,91	181,15	-	75	19,00	42	14	-	2,41
M0081	72 L 050	4	GG	72	218,29	217,53	-	75	19,00	42	14	-	2,82
M0082	84 L 050	4	GG	84	254,68	253,92	-	75	19,00	42	14	-	3,08
M0083	96 L 050	4	GG	96	291,06	290,30	-	75	19,00	42	14	-	3,42

KOŁA ZĘBATE O PODZIAŁCE CALOWEJ

ISO 5294



L 075



podziałka: **3/8" (9,525 mm)**

koła dla pasa o szerokości: **3/4" (19,05 mm)**

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
M0084	10 L 075	2F	St	10	30,32	29,56	36	20	25,40	38	8	300	0,14
M0085	11 L 075	2F	St	11	33,35	32,59	38	24	25,40	38	8	301	0,18
M0086	12 L 075	2F	St	12	36,38	35,62	42	24	25,40	38	8	302	0,22
M0087	13 L 075	2F	St	13	39,41	38,65	44	28	25,40	38	8	303	0,26
M0088	14 L 075	2F	St	14	42,44	41,68	48	28	25,40	38	8	304	0,30
M0089	15 L 075	2F	St	15	45,48	44,72	51	34	25,40	38	8	305	0,37
M0090	16 L 075	2F	St	16	48,51	47,75	54	36	25,40	38	8	306	0,43
M0091	17 L 075	2F	St	17	51,54	50,78	57	36	25,40	38	10	307	0,46
M0092	18 L 075	2F	St	18	54,57	53,81	60	40	25,40	38	10	308	0,54
M0093	19 L 075	2F	St	19	57,61	56,84	63	40	25,40	38	10	309	0,58
M0094	20 L 075	2F	St	20	60,64	59,88	66	40	25,40	38	10	310	0,64
M0095	21 L 075	2F	St	21	63,67	62,91	71	45	25,40	38	10	311	0,71
M0096	22 L 075	2F	St	22	66,70	65,94	75	45	25,40	38	10	312	0,79
M0097	23 L 075	2F	St	23	69,73	68,97	79	55	25,40	38	10	313	0,94
M0098	24 L 075	2F	St	24	72,77	72,00	79	55	25,40	38	10	313	1,00
M0099	25 L 075	2F	St	25	75,80	75,04	83	58	25,40	38	10	314	1,10
M0100	26 L 075	2F	St	26	78,83	78,07	87	58	25,40	38	12	315	1,16
M0101	27 L 075	2F	St	27	81,86	81,10	87	58	25,40	38	12	315	1,22
M0102	28 L 075	2F	St	28	84,89	84,13	91	58	25,40	38	12	316	1,30
M0103	30 L 075	2F	St	30	90,96	90,20	97	70	25,40	38	12	318	1,47
M0104	32 L 075	2F	St	32	97,03	96,26	103	70	25,40	38	12	320	1,75
M0105	33 L 075	2F	St	33	100,05	99,29	106	70	25,40	38	12	321	1,85
M0106	34 L 075	2F	St	34	103,08	102,32	111	70	25,40	38	12	322	1,93
M0107	35 L 075	2F	St	35	106,12	105,35	111	70	25,40	38	12	322	2,03
M0108	36 L 075	2F	St	36	109,15	108,39	115	70	25,40	38	12	323	2,14
M0109	40 L 075	2F	St	40	121,29	120,51	127	70	25,40	38	12	327	2,56
M0110	42 L 075	2F	St	42	127,34	126,58	135	70	25,40	38	12	328	2,81
M0111	44 L 075	2F	St	44	133,40	132,64	140	70	25,40	38	12	330	3,02
M0112	45 L 075	2F	St	45	136,44	135,67	143	70	25,40	38	12	331	3,16
M0113	48 L 075	2F	St	48	145,53	144,77	152	70	25,40	38	12	334	3,57
M0114	50 L 075	4	GG	50	151,60	150,83	-	70	25,40	38	14	-	2,10
M0115	52 L 075	4	GG	52	157,66	156,90	-	70	25,40	38	14	-	2,13
M0116	56 L 075	4	GG	56	169,79	169,02	-	70	25,40	38	14	-	2,27
M0117	57 L 075	4	GG	57	172,82	172,06	-	70	25,40	38	14	-	2,28
M0118	60 L 075	4	GG	60	181,91	181,15	-	75	25,40	45	14	-	2,70
M0119	72 L 075	4	GG	72	218,29	217,53	-	75	25,40	45	14	-	3,19
M0120	84 L 075	4	GG	84	254,68	253,92	-	75	25,40	45	14	-	3,64
M0121	96 L 075	4	GG	96	291,06	290,30	-	75	25,40	45	14	-	4,04

KOŁA ZĘBATE O PODZIAŁCE CALOWEJ

ISO 5294



L 100





podziałka: 3/8" (9,525 mm)

koła dla pasa o szerokości: 1" (25,4 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
M0122	10 L 100	2F	St	10	30,32	29,56	36	20	31,80	45	8	300	0,17
M0123	11 L 100	2F	St	11	33,35	32,59	38	24	31,80	45	8	301	0,22
M0124	12 L 100	2F	St	12	36,38	35,62	42	24	31,80	45	8	302	0,26
M0125	13 L 100	2F	St	13	39,41	38,65	44	28	31,80	45	8	303	0,32
M0126	14 L 100	2F	St	14	42,44	41,68	48	28	31,80	45	10	304	0,35
M0127	15 L 100	2F	St	15	45,48	44,72	51	34	31,80	45	10	305	0,43
M0128	16 L 100	2F	St	16	48,51	47,75	54	36	31,80	45	10	306	0,50
M0129	17 L 100	2F	St	17	51,54	50,78	57	36	31,80	45	10	307	0,56
M0130	18 L 100	2F	St	18	54,57	53,81	60	40	31,80	45	10	308	0,64
M0131	19 L 100	2F	St	19	57,61	56,84	63	40	31,80	45	10	309	0,70
M0132	20 L 100	2F	St	20	60,64	59,88	66	40	31,80	45	10	310	0,77
M0133	21 L 100	2F	St	21	63,67	62,91	71	45	31,80	45	10	311	0,88
M0134	22 L 100	2F	St	22	66,70	65,94	75	45	31,80	45	12	312	0,95
M0135	23 L 100	2F	St	23	69,73	68,97	79	55	31,80	45	12	313	1,11
M0136	24 L 100	2F	St	24	72,77	72,00	79	55	31,80	45	12	313	1,18
M0137	25 L 100	2F	St	25	75,80	75,04	83	58	31,80	45	12	314	1,30
M0138	26 L 100	2F	St	26	78,83	78,07	87	58	31,80	45	12	315	1,40
M0139	27 L 100	2F	St	27	81,86	81,10	87	58	31,80	45	12	315	1,47
M0140	28 L 100	2F	St	28	84,89	84,13	91	58	31,80	45	12	316	1,58
M0141	30 L 100	2F	St	30	90,96	90,20	97	70	31,80	45	12	318	1,78
M0142	32 L 100	2F	St	32	97,03	96,26	103	70	31,80	45	12	320	2,11
M0143	33 L 100	2F	St	33	100,05	99,29	106	70	31,80	45	12	321	2,23
M0144	34 L 100	2F	St	34	103,08	102,32	111	70	31,80	45	12	322	2,39
M0145	35 L 100	2F	St	35	106,12	105,35	111	70	31,80	45	12	322	2,45
M0146	36 L 100	2F	St	36	109,15	108,39	115	70	31,80	45	12	323	2,59
M0147	40 L 100	2F	St	40	121,29	120,51	127	70	31,80	45	12	327	3,13
M0148	42 L 100	2F	St	42	127,34	126,58	135	70	31,80	45	12	328	3,43
M0149	44 L 100	2F	St	44	133,40	132,64	140	70	31,80	45	12	330	3,72
M0150	45 L 100	2F	St	45	136,44	135,67	143	70	31,80	45	12	331	3,89
M0151	48 L 100	2F	St	48	145,53	144,77	152	70	31,80	45	12	334	4,38
M0152	50 L 100	4	GG	50	151,60	150,83	-	70	31,80	45	14	-	2,41
M0153	52 L 100	4	GG	52	157,66	156,90	-	70	31,80	45	14	-	2,55
M0154	56 L 100	4	GG	56	169,79	169,02	-	70	31,80	45	14	-	2,65
M0155	57 L 100	4	GG	57	172,82	172,06	-	70	31,80	45	14	-	2,71
M0156	60 L 100	4	GG	60	181,91	181,15	-	75	31,80	45	14	-	3,11
M0157	72 L 100	4	GG	72	218,29	217,53	-	75	31,80	45	14	-	3,65
M0158	84 L 100	4	GG	84	254,68	253,92	-	75	31,80	45	14	-	4,12
M0159	96 L 100	4	GG	96	291,06	290,30	-	75	31,80	45	14	-	4,60

KOŁA ZĘBATE CALOWE POD TULEJĘ TAPER LOCK

ISO 5294



L 050


podziałka: 3/8" (9,525 mm)

koła dla pasa o szerokości: 1/2" (12,7 mm)


kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	nr flanszy	[kg]
M0365	TL 18 L 050	10F	St	18	1108	28	54,57	53,81	60	44	-	19,00	22,00	3,00	308	0,20
M0366	TL 19 L 050	10F	St	19	1108	28	57,61	56,84	63	44	-	19,00	22,00	3,00	309	0,23
M0367	TL 20 L 050	10F	St	20	1108	28	60,64	59,88	66	48	-	19,00	22,00	3,00	310	0,27
M0368	TL 21 L 050	10F	St	21	1108	28	63,67	62,91	71	48	-	19,00	22,00	3,00	311	0,30
M0369	TL 22 L 050	10F	St	22	1108	28	66,70	65,94	75	51	-	19,00	22,00	3,00	312	0,34
M0370	TL 23 L 050	10F	St	23	1108	28	69,73	68,97	79	54	-	19,00	22,00	3,00	313	0,40
M0371	TL 24 L 050	10F	St	24	1108	28	72,77	72,00	79	54	-	19,00	22,00	3,00	313	0,45
M0372	TL 25 L 050	10F	St	25	1108	28	75,80	75,04	83	56	-	19,00	22,00	3,00	314	0,50
M0373	TL 26 L 050	10F	St	26	1108	28	78,83	78,07	87	60	-	19,00	22,00	3,00	315	0,55
M0374	TL 27 L 050	10F	St	27	1108	28	81,86	81,10	87	62	-	19,00	22,00	3,00	315	0,60
M0375	TL 28 L 050	10F	St	28	1108	28	84,89	84,13	91	65	-	19,00	22,00	3,00	316	0,65
M0376	TL 30 L 050	10F	St	30	1108	28	90,96	90,20	97	70	-	19,00	22,00	3,00	318	0,80
M0377	TL 32 L 050	10F	St	32	1108	28	97,02	96,26	103	74	-	19,00	22,00	3,00	320	0,98
M0378	TL 36 L 050	10F	St	36	1108	28	109,15	108,39	115	85	-	19,00	22,00	3,00	323	1,20
M0379	TL 40 L 050	10F	St	40	1610	42	121,28	120,51	127	97	-	19,00	25,00	6,00	327	1,40
M0380	TL 48 L 050	11F	St	48	1610	42	145,53	144,77	152	88	120	19,00	25,00	6,00	334	2,30
M0381	TL 60 L 050	13	St	60	1610	42	181,91	181,15	-	92	166	19,00	25,00	3,00	-	2,20
M0382	TL 72 L 050	14	GG	72	1610	42	218,30	217,53	-	92	202	19,00	25,00	3,00	-	2,10
M0383	TL 84 L 050	14	GG	84	1610	42	254,68	253,90	-	92	236	19,00	25,00	3,00	-	2,46
M0384	TL 96 L 050	14	GG	96	2012	50	291,06	290,30	-	106	270	19,00	32,00	6,50	-	3,36
M0385	TL120 L 050	14	GG	120	2012	50	363,83	363,07	-	106	343	19,00	32,00	6,50	-	4,44

KOŁA ZĘBATE POD TULEJĘ TAPER LOCK


ISO 5294




14




15F



21F



21



22

L 075


podziałka: 3/8" (9,525 mm)

koła dla pasa o szerokości: 3/4" (19,05 mm)


kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	nr flanszy	[kg]
M0386	TL 18 L 075	15F	St	18	1108	28	54,57	53,81	60	-	-	25,00	25,00	-	308	0,25
M0387	TL 19 L 075	15F	St	19	1108	28	57,61	56,84	63	-	-	25,00	25,00	-	309	0,32
M0388	TL 20 L 075	15F	St	20	1108	28	60,64	59,88	66	-	-	25,00	25,00	-	310	0,35
M0389	TL 21 L 075	15F	St	21	1108	28	63,67	62,91	71	-	-	25,00	25,00	-	311	0,40
M0390	TL 22 L 075	15F	St	22	1108	28	66,70	65,94	75	-	-	25,00	25,00	-	312	0,44
M0391	TL 23 L 075	15F	St	23	1108	28	69,73	68,97	79	-	-	25,00	25,00	-	313	0,48
M0392	TL 24 L 075	15F	St	24	1108	28	72,77	72,00	79	-	-	25,00	25,00	-	313	0,55
M0393	TL 25 L 075	15F	St	25	1108	28	75,80	75,04	83	-	-	25,00	25,00	-	314	0,63
M0394	TL 26 L 075	15F	St	26	1108	28	78,83	78,07	87	-	-	25,00	25,00	-	315	0,66
M0395	TL 27 L 075	15F	St	27	1108	28	81,86	81,10	87	-	-	25,00	25,00	-	315	0,70
M0396	TL 28 L 075	15F	St	28	1108	28	84,89	84,13	91	-	-	25,00	25,00	-	316	0,72
M0397	TL 30 L 075	15F	St	30	1108	28	90,96	90,20	97	-	-	25,00	25,00	-	318	0,93
M0398	TL 32 L 075	15F	St	32	1108	28	97,02	96,26	103	-	-	25,00	25,00	-	320	1,10
M0399	TL 36 L 075	15F	St	36	1610	42	109,15	108,39	115	-	-	25,00	25,00	-	323	1,20
M0400	TL 40 L 075	15F	St	40	1610	42	121,28	120,51	127	-	-	25,00	25,00	-	327	1,70
M0401	TL 48 L 075	21F	St	48	1610	42	145,53	144,77	152	92	120	25,00	25,00	-	334	2,60
M0402	TL 60 L 075	21	St	60	1610	42	181,91	181,15	-	92	166	25,00	25,00	-	-	3,00
M0403	TL 72 L 075	22	GG	72	1610	42	218,30	217,53	-	92	202	25,00	25,00	-	-	2,33
M0404	TL 84 L 075	14	GG	84	2012	50	254,68	253,90	-	106	236	25,00	32,00	3,50	-	3,55
M0405	TL 96 L 075	14	GG	96	2012	50	291,06	290,30	-	106	270	25,00	32,00	3,50	-	3,95
M0406	TL120 L 075	14	GG	120	2012	50	363,83	363,07	-	106	343	25,00	32,00	3,50	-	5,61

KOŁA ZĘBATE POD TULEJĘ TAPER LOCK


ISO 5294




16F



17F



19



22

L 100

podziałka: 3/8" (9,525 mm)

koła dla pasa o szerokości: 1" (25,4 mm)

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	nr flanszy	[kg]
M0407	TL 18 L 100	16F	St	18	1108	28	54,57	53,81	60	-	31,00	22,00	25,00	9,00	308	0,20
M0408	TL 19 L 100	16F	St	19	1108	28	57,61	56,84	63	-	31,00	22,00	25,00	9,00	309	0,32
M0409	TL 20 L 100	16F	St	20	1108	28	60,64	59,88	66	-	31,00	22,00	25,00	9,00	310	0,41
M0410	TL 21 L 100	16F	St	21	1108	28	63,67	62,91	71	-	31,00	22,00	25,00	9,00	311	0,45
M0411	TL 22 L 100	16F	St	22	1108	28	66,70	65,94	75	-	31,00	22,00	25,00	9,00	312	0,47
M0412	TL 23 L 100	16F	St	23	1108	28	69,73	68,97	79	-	32,00	22,00	25,00	10,00	313	0,50
M0413	TL 24 L 100	16F	St	24	1108	28	72,77	72,00	79	-	32,00	22,00	25,00	10,00	313	0,64
M0414	TL 25 L 100	16F	St	25	1108	28	75,80	75,04	83	-	32,00	22,00	25,00	10,00	314	0,68
M0415	TL 26 L 100	16F	St	26	1108	28	78,83	78,07	87	-	32,00	22,00	25,00	10,00	315	0,70
M0416	TL 27 L 100	16F	St	27	1108	28	81,86	81,10	87	-	32,00	22,00	25,00	10,00	315	0,83
M0417	TL 28 L 100	16F	St	28	1108	28	84,89	84,13	91	-	32,00	22,00	25,00	10,00	316	0,85
M0418	TL 30 L 100	16F	St	30	1210	32	90,96	90,20	97	-	32,00	25,00	25,00	7,00	318	0,90
M0419	TL 32 L 100	16F	St	32	1210	32	97,02	96,26	103	-	32,00	25,00	25,00	7,00	320	1,05
M0420	TL 36 L 100	16F	St	36	1610	42	109,15	108,39	115	-	32,00	25,00	25,00	7,00	323	1,40
M0421	TL 40 L 100	16F	St	40	1610	42	121,28	120,51	127	-	32,00	25,00	25,00	7,00	327	1,65
M0422	TL 48 L 100	17F	St	48	1610	42	145,53	144,77	152	92	32,00	25,00	25,00	7,00	334	2,80
M0423	TL 60 L 100	19	St	60	1610	42	181,91	181,15	-	92	32,00	25,00	25,00	3,50	-	2,70
M0424	TL 72 L 100	22	GG	72	2012	50	218,30	217,53	-	106	32,00	32,00	25,00	-	-	2,96
M0425	TL 84 L 100	22	GG	84	2012	50	254,68	253,90	-	106	32,00	32,00	32,00	-	-	3,87
M0426	TL 96 L 100	22	GG	96	2012	50	291,06	290,30	-	106	32,00	32,00	32,00	-	-	4,64
M0427	TL120 L 100	22	GG	120	2012	50	363,83	363,07	-	106	32,00	32,00	32,00	-	-	6,37